



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.


If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 4 N

R I W

Manders of the Right Bank
of White River in
T4N- R1W.



Comp. with the original.

Meanders of the East Fork of White
River, from a post in N. boundary of
Sec. 6, T4. N. R1. W. - up stream right bank

S49 E	3.00	in Sec. 6, T4. N. R1. W.
S31 E	12.50	
S28 E	11.50	
S31 E	6.00	
S35 E	18.50	
S28 E	16.00	
S21 E	8.00	
S39 E	4.50	line between Sec. 6 & 7
S32 E	7.50	

S61 E	16.00	in Sec. 7, T4. N. R1. W.
S73 E	8.00	
S82 E	16.00	
East	4.05	line betw. Sec. 7 & 8

S4 N R1 W
Meanders of Right bank Continued

N83 E	13.00	in Sec. 8, S4 N R1 W
N60 E	9.50	
N54 E	8.67	line between Sec. 5 & 8
N37 E	10.00	in Sec. 5, S4 N R1 W
N21 E	10.50	
N11 E	13.00	
N18 E	17.00	
N16 E	6.00	
N11 E	19.50	
N11 W	8.32	to post in N. boundary of S4 N R1 W
From post in N. boundary		
S26 E	8.00	in Sec. 3, S4 N R1 W
S32 E	15.50	
S48 E	9.50	

S4 N R1 W
Meanders of Right bank Continued

S76 E	6.50	
N79 E	9.00	
N70 E	7.00	
N79 E	3.60	line betw. Sec. 2 & 3
N72 E	7.50	in Sec. 2, S4 N R1 W
N80 E	6.50	
N77 E	11.00	
N83 E	10.50	
S89 E	4.00	
S80 E	6.00	
S72 E	9.50	
S47 E	6.00	
S29 E	6.00	
S22 E	14.50	a Brook 25 ft. wide
S22 E	14.30	

L4 N. R1 W

Meandering Right bank Continued

S29 E 18.90 line betw. Sec. 1 & 2

S40 E 10.00 in Sec. 12, L4 N. R1 W

S51 E 14.50

S60 E 10.00

S70 E 12.50

S76 E 14.50

N53 E 7.50

N30 E 9.00

N27 E 10.00

N33 E 14.00

N42 E 8.70 to post in the East
boundary L4 N. R1 W

L4 N. R1 W

Meandering of the Left bank W. River

From the Sycamore on the
Range line betw. Range 1 & 2 W

S30 E 23.50 in Sec. 6, L4 N. R1 W

S36 E 19.00

S24 E 20.00 line between Sec. 6 & 7

S56 E 27.00 in Sec. 7, L4 N. R1 W

S69 E 17.20

N89 E 11.20 line between Sec. 7 & 8

N89 E 12.00 in Sec. 8, L4 N. R1 W

N58 E 14.30

N44 E 17.00 line between Sec. 5 & 8

N24 E 22.30 in Sec. 5.

N14 E 48.30

N10 W 13.50 post in N. boundary

T4 N. R1 W
Meander of Left bank Continued

<i>From post in N. boundary</i>		
<i>S34 E</i>	<i>36.00</i>	<i>in Sec 3, brook 25 lks.</i>
<i>S67 E</i>	<i>16.00</i>	
<i>N78 E</i>	<i>18.50</i>	<i>line between Sec. 2 & 3</i>
<i>S81 E</i>	<i>14.50</i>	<i>in Sec. 2, T4 N. R1 W</i>
<i>S23 E</i>	<i>51.00</i>	
<i>S35 E</i>	<i>16.50</i>	<i>line betw. Sec. 11 & 12</i>
<i>The intersection of the line between Sec. 2 & 11 omitted</i>		
<i>S56 E</i>	<i>27.50</i>	<i>in Sec. 12, T4 N. R1 W</i>
<i>S75 E</i>	<i>33.50</i>	
<i>N47 E</i>	<i>17.00</i>	
<i>N23 E</i>	<i>22.00</i>	
<i>N45 E</i>	<i>5.20</i>	<i>Corner on the 2^d Principal Meridian</i>

South Bound. 1

 East On a Random line On the South Boundary of sec. 31.
T. 4. N. R. 1 W. N. 60° 30'

40.00 Set the trip? to 2nd post.

 80.00 Set a trip? post on the Rand. line further on of sec. 31 & 32
Land good for farming. No Spec.

 East On a Random line On the South B. of sec. 32
T. 4. N. R. 1 W.

40.00 Set a trip? to 2nd post.

 80.00 Set a trip? post further on of sec. 32 & 33
Land very bushy timber Oak & Hickory

 East On a Random line On the South B. of sec. 33
T. 4. N. R. 1 W.

40.00 Set the trip? to 2nd post.

 80.00 Set a trip? post further on of sec. 33 & 34
Land the same.

 East On a Random line On the South Boundary of sec. 34
T. 4. N. R. 1 W.

40.00 Set a trip? to 2nd post.

 80.00 " " " post on the Random line further on of sec. 34 & 35.
Land the same. Many Sink Holes.

 East On a Random line On the South B. of sec. 35
T. 4. N. R. 1 W.

40.00 Set a trip? to 2nd post.

 80.00 Set a trip? post further on of sec. 35 & 36.
Land the same.

 East On a Random line On the South Boundary of sec. 36.
T. 4. N. R. 1 W.

T. A. H. A. R. A. 1779th Mrs. Ind.

4000	Set the timber to support
5600	Intersect the Range line at the foot of sec. 16.31.36. J. H. A. R. 1779 th Mrs. Ind.
West	On the true line On the South Boundary of sec. 36. J. H. A. R. 1779 th Mrs. Ind.
4000	Set the timber to support on the true line from which, Hick 10 in diam. beam. N 25 E. 20 lbs dist; 70
8000	Set the timber post on the true line for the corner of sec. 35.36 from which, Black. 18 in diam. beam. S 69 W. 7 lbs dist under a Maple. 10 " " S 67 E. 28 " "
West	On the true line On the South Boundary of sec. 35. J. H. A. R. 1779 th Mrs. Ind.
4000	Set the timber to support on the true line from which, Hick 12 in diam. beam. West 3 lbs dist;
8000	Set the timber post for the corner of sec. 34.35 from which, Hick 8 in diam. beam. N 69 E. 11 lbs dist; 20 Black. 10 " " S 62 W. 7 " "
West	On the true line On the South Boundary of sec. 34. J. H. A. R. 1779 th Mrs. Ind.
4000	Set the timber to support on the true line from which, W Oak. 24 in diam. beam. N 65 E. 35 lbs dist; 20 Black. 24 " " S 11 W. 14 " "
8000	Set the timber post on the true line for the corner of sec. 33.34 from which, Hick 12 in diam. beam. West. 58 lbs dist
West	On the true line On the South Boundary of sec. 33. J. H. A. R. 1779 th Mrs. Ind.
4000	Set the timber to support on the true line from which,

T. A. H. A. R. A. 1779th Mrs. Ind.

West	On the true line On the South Boundary of sec. 32. J. H. A. R. 1779 th Mrs. Ind.
4000	Set the timber to support on the true line from which, Hick 10 in diam. beam. N 76 W. 5 lbs dist; 20 Gum. 6 " " S 70 E. 12 " "
8000	Set the timber post on the true line for the corner of sec. 31.32 from which, Hick 12 in diam. beam. S 32 W. 9 lbs dist under a Dogwood 6 " " N 3 E. 12 " "
West	On the true line On the South Boundary of sec. 31. J. H. A. R. 1779 th Mrs. Ind.
4000	Set the timber to support on the true line from which, W Oak 12 in diam. beam. S 38 W. 18 lbs dist; 20
8000	Set the timber post for the corner of sec. 30.31.36. J. H. A. R. 1779 th Mrs. Ind.
East Boundary. 1.6.36' E. 29'	
North	On the East Boundary of sec. 36. J. H. A. R. 1779 th Mrs. Ind.
4000	Set the timber to support from which, Black. 20 in diam. beam. S 35 E. 25 lbs dist; 20 Hick 10 " " N 25 E. 8 " "
8000	Set a post for the corner of sec. 25.36 from which, Hick 15 in diam. beam. S 27 E. 24 lbs dist; 20 Hick 6 " " S 28 W. 12 " "
North	On the East Boundary of sec. 25. J. H. A. R. 1779 th Mrs. Ind.

T. N. 4 North of Range No 177 2nd Mer. Ind.

00.00 Set a post from which
 Hick 10 in dia' beam S 1/2 E. 22 the dist. 20,
 Do 11 " " " N 32 W 33. "
 10.00 Set a post for the cor. of sec 24 & 25 from which,
 Hick 8 in dia' beam S 31 E. 34 the dist. 20,
 Poplar 8 " " " N 49 E. 19. "
 Same the same.

North On the East Boundary of sec. 24. T. N. 4 N. 177
 20.00 Set a post 15 in dia' stands in the line.
 40.00 Set a post from which a
 Hick 10 in dia' beam S 38 W 35 the dist. 20,
 Do 10 " " " N 53 E. 35 " "
 40.15 Set a post 12 in dia' in the line.
 80.00 Set a post for the cor. of sec 13 & 24 from which,
 Hick 19 in dia' beam S 44 E. 8 the dist. 20,
 Do 19 " " " N 23 W. 26 " "
 Same the same.

North On the East Boundary of sec. 13. T. N. 4 N. 177
 50.00 Set a post 20 in dia' beam S 44 E.
 20.20 " " Hick 20 in dia' in the line.
 30.00 " " Hick 10 in dia' beam S 44 E.
 40.00 Set a post from which a
 Hick 10 in dia' beam S 30 W. 7 the dist. 20,
 Sugar 12 " " " N 7 E. 34 " "
 44.25 Set a post 20 in dia' stands in the line.
 50.00 Set a post for the cor. of sec 12 & 13 from which,
 Hick 24 in dia' beam S 7 E. 31 the dist. 20,
 Hick 12 " " " N 62 W. 22 " "
 Same the same.

North On the East Boundary of sec 12. T. N. 4 N. 177

T. N. 4 N. R. N. 177 2nd Mer. Ind.

40.00 Set a post from which,
 Sugar 10 in dia' beam S 3 E. 17 the dist. 20,
 Do 10 " " " N 1 E. 27 " "
 80.00 Set a post for the cor. of sec 17 & 25 from which,
 Hick 20 in dia' beam S 52 W. 10 the dist. 20,
 Do 20 " " " N 21 W. 22 " "
 Same goods: Hick, Hick, Poplar, Oak & Hick.

North On the East Boundary of sec. 1. T. N. 4 N. 177
 150 Set a post on the Left Bank of the East Branch of White
 River for the cor. of sec 1 from which,
 Hick 10 in dia' beam S 54 E. 10 the dist. 20,
 Sugar 10 " " " S 42 W. 12 " "
 13.50 Set a post on the Right Bank of the River for the cor. of
 Grad. Sec 1 from which,
 Hick 20 in dia' beam S 37 W. 21 the dist. 20,
 Sugar 10 " " " N 32 W. 15 " "
 40.00 Set a post from which,
 Hick 10 in dia' beam S 21 E. 16 the dist. 20,
 Do 10 " " " S 52 E. 12 " "
 80.00 Set a post for the cor. of T. N. 4 S. 4 N. 177. N. 177. 1 E. 177.
 from which, Sugar 12 in dia' beam S 6 E. 31 the dist.
 as above, Do 10 " " " S 61 W. 18 " "
 Same the same.

North Boundary

West On a Random line On the South Boundary of sec 36
 T. N. 4 N. 177
 10.00 Set a post 12 in dia' beam S 44 E.
 40.00 Set a post from which,
 80.00 " " post for the cor. of sec 33 & 36
 Same selling Hick, Hick, Oak & Sugar.

T. A. H. R. No 177 and the Ind.

West On a Random line On the South Boundary of sec. 33
T. 5. N. R. 177.
40.00 Set a tripot for a post.
55.30 To a spring. Sec. 33.
50.00 Set a tripot post on the Random for the ca of sec 33 & 34.
Sound the same.

West On a Random line On the South Boundary of sec. 34
T. 5. N. R. 177.
40.00 Set a tripot for a post.
44.00 To White River
50.00 Set a tripot post for the ca of sec. 33 & 34.
Sound rolling; Timber Oak & Hickory. Some Apple.

West On a Random line On the South Boundary of sec. 33
T. 5. N. R. 177.
40.00 Set a tripot for a post.
50.00 " " post for the ca of sec 33 & 34.
Sound the same.

West On a Random line On the South Boundary of sec. 32
T. 5. N. R. 177.
25.00 To White River
40.00 Set a tripot for a post.
50.00 Set a " post on the Random line for the ca of sec
31 & 32. Sound rich. Timber Birch, Poplar, 11/2 Spruce.

West On a Random line On the South Boundary of sec. 32
T. 5. N. R. 177.
40.00 Set a tripot for a post.
50.00 Included the Range line North of the ca of T.
4.5. N. R. 177.
Sound the same.

T. A. H. R. No 177 and the Ind.

East On the line line On the South Boundary of sec. 31
T. 5. N. R. 177. v. 7. 20.
45.00 Set the tripot for a post on the line line from which
Beck 10 in dia. here. S 87 N. 119 the dist. 20,
Loc. 10 " " " A 86 N. 29 " "
55.00 Set the tripot post on the line line for the ca of sec 31 & 32
from which, Beck 10 in dia. here. S 87 E 13 the dist. to
Loc. 12 " " " S 14 N. 11 " "

East On the line line On the South Boundary of sec. 32
T. 5. N. R. 177.
40.00 Set the tripot for a post on the line line from which
Beck 10 in dia. here. A 83 E 17 the dist. 20,
Loc. 20 " " " S 32 E 2 " "
48.00 Set a post on the Right Bank of White River for the ca
of tract Sec. 32 from which
Poplar 8 in dia. here. S 8 E 5 the dist.
55.00 Set a post on the Left Bank of the White River for the
ca of tract Sec. 32 from which
Mulberry 10 in dia. here. S 10 E 19 the dist. 20
Ash. 18 " " " A 19 E 12 " "
50.00 Set the tripot post on the line line for the ca of sec 32 & 33
from which, Beck 12 in dia. here. East 45 the dist.
and so Loc 18 " " " A 5 N. 24 " "

East On the line line On the South Boundary of sec. 33
T. 5. N. R. 177.
40.00 Set a tripot for a post on the line line from which
Hickory 8 in dia. here. A 40 E 28 the dist. 20
Spruce 18 " " " S 37 N 12 " "
50.00 Set the tripot post on the line line for the ca of sec 33 & 34
from which, Regard for in dia. here. S 85 E 45 the dist.
and so Loc 7 " " " A 3 N 13 " "

T. A. H. R. No 177 D^{na} M^o Ind^o

- East On the line On the South Boundary of pa. 34
T. A. H. R. No 177
- *36.00 Set a post on the Right Bank of White River for the co.
of pa. 34 from which
Septa. 6 in dia^r beam A80 N 15 the dist. 70,
N Oak. 10 " " S60 E 16 "
- *27.00 Set a post on the Left Bank of White River for the co.
of pa. 34 from which
Septa. 11 in dia^r beam A21 N 10 the dist. 80,
N Oak. 6 " " S60 E 10 "
- 40.00 Set the temp^t post on the line from which
Beck. 12 in dia^r beam A65 E 10 the dist. 70,
N Oak. 6 " " S65 N 12 "
- 80.00 Set the temp^t post on the line from the co of pa. 34 135
from which. Septa. 11 in dia^r beam A68 E 17 the dist.
70 and Beck. 10 " " A48 N 12 "

- East On a line On the South Boundary of pa. 35.
T. A. H. R. No 177
- 40.00 Set a temp^t post on the line from which
Septa. 10 in dia^r beam S52 E 19 the dist. 70,
Beck. 12 " " A10 E 16 "
- 80.00 Set the temp^t post on the line from the co of pa. 35 136
from which. Septa. 11 in dia^r beam S83 E 21 the dist.
70 and Beck. 8 " " S76 N 16 "

- East On a line On the South Boundary of pa. 36
T. A. H. R. No 177
- 40.00 Set the temp^t post on the line from which
Septa. 9 in dia^r beam A77 E 19 the dist. 70,
N Oak. 20 " " S60 N 26 "
- 80.00 Set the co of 5:415 (R. 161) N.

T. A. H. R. No 177 D^{na} M^o Ind^o 107

West Boundary

- North On the East Boundary of pa. 36 T. A. H. R. No 177.
- 40.00 Set a post on a very high hill.
80.00 Set a post for the co of 25 136 from which.
Beck. 6 in dia^r beam A65 N 15 the dist. 70,
N Oak. 10 " " A4 E 14 "
- Land very hilly and bushy. Timber Blackwood Oak
Hickory.
-
- North On the East Boundary of pa. 25 T. A. H. R. No 177.
- 3.75 Set a post 10 in dia^r in the line.
- 40.00 Set a post from which
N Oak. 10 in dia^r beam S36 E 70 the dist. 70,
Beck. " " A18 N 11 "
- 80.00 Set a post for the co of pa. 24 125 from which.
N Oak. 12 in dia^r beam S24 N 33 the dist. 70,
Septa. 10 " " Sunk 10 "
- Land good for farming. Timber Sugar Septa. Oak
Hickory.
-
- North On the East Boundary of pa. 24 T. A. H. R. No 177
- 6.90 Set a post 20 in dia^r in the line.
- 40.00 Set a post from which
N Oak. 8 in dia^r beam S35 N 27 the dist. 70,
Beck. 12 " " A36 N 21 "
- 80.00 Set a post for the co of pa. 134 26 from which.
Septa. 10 in dia^r beam S61 N 25 the dist. 70,
Beck. 10 " " A51 N 16 "
- Land the same.
-
- North On the East Boundary of pa. 13 T. A. H. R. No 177.
- 40.00 Set a post from which
Beck. 6 in dia^r beam A8 E 16 the dist. 70,

J. A. 4. A. R. A. 1. H. D. M. S. J. A. 4.

9000 Let a post for the co of sec 12 & 13 from which,
 Buck 10 in dia beam. N 16 E 26 the dist. 4 a.
 E 12 12 " " A 51 N 30 " "
 Land the same.

South North East Boundary of sec. 12. J. A. 4. A. R. 277.
 40.00 Let a post from which,
 Walnut 10 in dia beam. S 6 E 27 the dist. 4 a.
 Do 10 " " " S 61 N 15 " "
 80.00 Let a post for the co of sec 12 & 13 from which,
 Buck 6 in dia beam. S 6 E 13 the dist. 4 a.
 E 12 20 " " " S 67 N 19 " "
 Land the same.

South North East Boundary of sec. 1. J. A. 4. A. R. 277.
 40.00 Let a post from which,
 Buck 6 in dia beam. S 36 E 5 the dist. 4 a.
 Do 6 " " " S 37 N 27 " "
 63.50 Ashcanon 23 in dia stands on the Left Bank
 of White River for the co of sec. 1.
 72.95 Buck 11 in dia stands on the Right Bank of White
 River for the co of sec. 1.
 80.00 Let a post for the co of S 41 E 15 N 2 1/2 W from which,
 Buck 20 in dia beam. N 10 N 37 the dist. 4 a.
 Do 6 " " " S 36 E 11 " "
 Carried by
 Arthur Henrich 121

Subdivisions
 South Between Sec 25 & 26. J. A. 4. A. R. 177.
 40.00 Let a post from which,
 Buck 18 in dia beam. N 6 E 28 the dist. 4 a.

J. A. 4. A. R. A. 1. H. D. M. S. J. A. 4.

Do 20 in dia beam. N 11 E 19 the dist.
 75.05 Let a post for the co of sec 25, 26, 35 & 36 from which,
 80.00 W Oak 19 in dia beam. N 37 E 21 the dist. 4 a.
 Do 12 " " " N 18 E 23 " "
 Land flat timber Oak & Buck.

East Chalkland line between Sec 26 & 36. J. A. 4. A. R. 177.
 40.00 Let a post from which,
 80.40 Intersut the East Boundary South of the co of sec 25 & 36.
 Land the same.

West Chalkland line between Sec 25 & 36. J. A. 4. A. R. 177.
 40.20 Let the timber post at the co. dist. on the line from
 which, W Oak 19 in dia beam. S 37 E 23 the dist. 4 a.
 Do 19 " " " S 62 E 20 " "
 80.40 Let the post on of sec 25, 26, 35 & 36.

North Between Sec 25 & 26. J. A. 4. A. R. 177.
 40.00 Let a post from which,
 N Oak 10 in dia beam. S 22 N 7/3 the dist. 4 a.
 80.00 Let a post for the co of sec 23, 24, 25 & 26 from which,
 W Oak 10 in dia beam. N 63 E 27 the dist. 4 a.
 Do 20 " " " S 87 N 22 " "
 Land thin and very brushy bound by trees & vines.

East Chalkland line between Sec 24 & 25. J. A. 4. A. R. 177.
 40.00 Let a timber post from which,
 80.10 Intersut the East Boundary 10 lbs. North of the post on of
 Sec 24 & 25. Land very brushy timber Oak & L.

West Between Sec 24 & 25. Chalkland line. J. A. 4. A. R. 177.
 40.00 Let the timber post at the co. dist. on the line from

J. A. A. R. A. 1772nd Mr. Sud.

North Between Dec 24 & 35 J. A. A. R. 177.
40.00 Let a post from which
Dogwood 6 in diam. 26 E. 24 the dist. to,
W Oak 12 " " 26 E. 35 "
80.00 Let a post for the ca of Dec 26, 27, 34 & 35 from which
W Oak 40 in diam. 28 E. 11.30 the dist. to,
Nick 1. 20 " " 24 E. 19 "
Lands with Limbu Oak Hick. & very brushy

East Ogankum line between Dec 26 & 35 J. A. A. R. 177.
40.00 Let a post from which
80.00 Let a post for the ca of Dec 26, 27, 34 & 35 from which
35 36, 23 & 26. Lands the same.

West Ogankum line between Dec 26 & 35 J. A. A. R. 177.
40.00 Let the post for a post at the ar. dist. on the line
from which Nick 26 in diam. 22 E. 8 the dist.
under W Oak 20 " " 27 E. 26 "
80.00 Let the ca of Dec 26, 27, 34 & 35.

North Between Dec 26 & 35 J. A. A. R. 177.
40.00 Let a post from which
W Oak 18 in diam. East. 59 the dist.
80.00 Let a post for the ca of Dec 22, 23, 26 & 27 from which
Dogwood 8 in diam. 25 E. 15 the dist. to,
W Oak 10 " " 27 E. 29 "
Lands with Limbu Oak & Hick.

East Ogankum line between Dec 26 & 35 J. A. A. R. 177.
40.00 Let a post from which
80.00 Let a post for the ca of Dec 22, 23, 26 & 27 from which
Lands the same.

J. A. A. R. A. 1772nd Mr. Sud.

West Ogankum line between Dec 23 & 35 J. A. A. R. 177.
40.00 Let the post for a post from which
Dogwood 8 in diam. 24 E. 11 the dist. to,
W Oak 8 " " 26 E. 15 "
80.00 Let the post for the ca of Dec 22, 23, 26 & 27.

North Between Dec 22 & 35 J. A. A. R. 177.
40.00 Let a post from which
W Oak 15 in diam. 26 E. 23 the dist. to,
Dogwood 4 " " 27 E. 26 "
80.00 Let a post for the ca of Dec 22, 23, 26 & 27 from which
Dogwood 20 in diam. 27 E. 8 the dist. to,
Nick 1. 15 " " 27 E. 21 "
Lands the same.

East Ogankum line between Dec 22 & 35 J. A. A. R. 177.
40.00 Let a post from which
80.00 Let a post for the ca of Dec 22, 23, 26 & 27 from which
Lands the same.

West Ogankum line between Dec 22 & 35 J. A. A. R. 177.
40.00 Let the post for a post from which
Dogwood 10 in diam. 27 E. 15 the dist. to,
W Oak 12 " " 27 E. 18 "
80.00 Let the ca of Dec 22, 23, 26 & 27.

North Between Dec 22 & 35 J. A. A. R. 177.
40.00 Let a post from which
Dogwood 10 in diam. 27 E. 15 the dist. to,
W Oak 12 " " 27 E. 18 "
80.00 Let the post for the ca of Dec 22, 23, 26 & 27 from which
Dogwood 10 in diam. 27 E. 15 the dist. to

T. N. 4. N. R. N. 1. 7. 2nd Mer. Sud.

Sept. 24 in deer house. A 36 E 25 N. dist.
Sands the same.

East On a Random line between Sec 11 & 14. T. 4. N. R. 1. 7.
3.75 Set a post 10 in the middle, corner N.
40.00 Set a timber post for support.
56.00 Went out the A 15 line 18 lbs. South of the post on of
Sec 11 10 13 & 14. Sands the same.

West On the line between Sec 11 & 14. T. 4. N. R. 1. 7.
40.00 Set the timber post for support on the line from which,
Dogwood 8 in deer house. S 20 N 3 lbs. dist. to,
Stick 110 " " " A 20 E 30 " "
56.00 Set the post on of sec 10 11 14 & 15.

South Between Sec 11 & 10. T. 4. N. R. 1. 7.
9.00 Set a post 10 lbs. middle, corner N. W.
21.75 Set a post 3 " " " " " "
40.00 Set a post support from which,
Red Bud 7 in deer house. S 6 E 36 lbs. dist. to,
W. Walnut 10 " " " A 15 N 20 " "
10.00 Set a post for the corner of sec 2, 3 10 & 11 from which,
Buck 9 in deer house. N 84 E 43 lbs. dist. to,
Ho. 20 " " " S 84 N 36 " "
Sands rolling? Timber (Oak, Hick), Poplar, &c.

East Between Sec 11 & 12. T. 4. N. R. 1. 7.
27.50 Set a post 10 lbs. middle, corner N.
40.00 Set a post support from which,
Dogwood 6 in deer house. A 38 E 20 lbs. dist. to,
Sycamore 10 " " " S 29 E 11 " "
47.75 Set a post on the Left Bank of White River for the corner of
frac. Sec 2 & 11 from which,

T. N. 4. N. R. N. 1. 7. 2nd Mer. Sud.

Sugar 10 in deer house. S 29 E 9 lbs. dist. to,
W. Oak 11 " " " S 28 N 10 " "
Sands the same.

North Between Sec 2 & 3. T. 4. N. R. 1. 7.
16.45 Set a post 10 in the middle of the line.
40.00 Set a post support from which,
Maple 9 in deer house. S 20 N 21 lbs. dist. to,
Cedar 7 " " " A 18 N 4 " "
47.00 Set a post on the Left Bank of White River for the corner of
frac. Sec 2 & 3 from which,
Buck 10 in deer house. S 85 E 7 lbs. dist. to,
Ho. 20 " " " S 21 N 38 " "
Sands rich and rolling? Timber Poplar, Ash & Sugar.
South Between Sec 2 & 3. T. 4. N. R. 1. 7.
22.50 Set a post on the Right Bank of the White River for the
corner of frac. Sec 2 & 3.

North Between Sec 3 & 34. T. 4. N. R. 1. 7.
40.00 Set a post support from which,
Dogwood 6 in deer house. N 16 E 14 lbs. dist. to,
Poplar 8 " " " A 16 E 34 " "
80.00 Set a post for the corner of sec 27, 28 33 & 34 from which,
W. Oak 15 in deer house. S 6 E 25 lbs. dist. to,
Hick 10 " " " A 11 N 15 " "
Sands hilly and bushy. Timber (Oak, Hick).

East On a Random line between Sec 27 & 34. T. 4. N. R. 1. 7.
40.00 Set a timber post support.
80.00 Went out the A 15 line at the corner of sec 26, 27 34 & 35.
Sands the same.

West On the line between Sec 27 & 34. T. 4. N. R. 1. 7.

T. A. 4. A. R. No. 177nd Mm. Ind.

40.02¹ Set the tripst to a post in the line from which,
Beck. 12 in dist. from S107.12 links dist. to,
W. Oak. 15, " " S86 E. 20 " "
50.00 To the cor. of Sec. 27, 28, 33 & 34.

North Between Sec. 27 & 28 T. 4. N. R. 177.
40.00 Set a post from which,
W. Oak. 12 in dist. from S17.12 links dist. to,
E. Oak. 10 " " N16 E. 15 " "
56.00 To a W. Oak. 10 in dist. from the line.
51.01 Set a post for the cor. of Sec. 21, 22, 27 & 28 from which,
Hogwood 6 in dist. from N48 E. 2 links dist. to,
Sum. of " " S36 N. 16 " "
Same to same.

East On a Random line between Sec. 22 & 27 T. 4. N. R. 177.
40.00 Set a tripst to a post.
50.10 Set a post on the N15 line 8 links South of the post cor.
Sec. 22, 23, 26 & 27. Same to same.

West On the line between Sec. 22 & 27 T. 4. N. R. 177.
40.05 Set the tripst to a post at the cor. dist. on the
line from which a
Beck. 18 in dist. from S9 E. 9 links dist. to,
H. 12 " " S87 E. 43 " "
50.11 To the cor. of Sec. 21, 22, 27 & 28.

North Between Sec. 21 & 22 T. 4. N. R. 177.
40.00 Set a post from which,
Hogwood 6 in dist. from S21 E. 36 links dist. to,
Poplar. 9 " " N16 N. 34 " "
80.00 Set a post for the cor. of Sec. 15, 16, 21 & 22 from
which, Beck. 19 in dist. from N8 E. 11 links dist.

T. A. 4. A. R. No. 177nd Mm. Ind.

Beck. 24 in dist. from S54 E. 26 links dist.
Same to same.

East Between Sec. 13 & 22 T. 4. N. R. 177.
40.00 Set a tripst to a post.
50.00 Set a post on the N15 line 12 links South of the post cor.
of Sec. 14, 15, 22 & 23. Same to same.

West On the line between Sec. 15 & 22 T. 4. N. R. 177.
40.00 Set the tripst to a post in the line from which,
Beck. 12 in dist. from S18 N. 20 links dist. to,
Sassafras tree " " N62 E. 15 " "
50.00 To the post cor. of Sec. 15, 16, 21 & 22.

North Between Sec. 15 & 16 T. 4. N. R. 177.
40.00 Set a post from which,
W. Oak. 10 in dist. from N16 E. 11 links dist. to,
Hogwood for " " S15 E. 19 " "
53.00 To a W. Oak. 17 in dist. from the line.
80.00 Set a post for the cor. of Sec. 9, 10, 15 & 16 from which,
W. Oak. 12 in dist. from N84 N. 28 links dist. to,
H. 15 " " N38 E. 27 " "
Same to same.

East On a Random line between Sec. 15 & 16 T. 4. N. R. 177.
40.00 Set a tripst to a post.
50.00 Set a post on the N15 line 12 links South of the post cor.
Sec. 10, 11, 14 & 15. Same to same.

West On the line between Sec. 10 & 15 T. 4. N. R. 177.
40.00 Set the tripst to a post in the line at the cor. dist.
from which, W. Walnut 11 in dist. from S37 N. 38 links dist.
made a Hickory 8 " " S32 E. 15 " "

T. A. H. R. No 177 Dna Mrs. Ind.

80.00 To the post co of sec 9. 10. 15 & 16.

North Return Sec 9 & 10 T. A. H. R. 177.

40.00 Set a 7/8 support from which,

W Oak 20 in diam bears N 12 W 21 links dist, &c.

Dogwood 6 " " S 77 E 6 " "

80.00 Set a post for the cor. of sec 3. 4. 9 & 10 from which,

Buck 10 in diam bears S 65 E 26 links dist, &c.

Poplar 10 " " N 19 E 24 " "

Land very bushy timber Oak & Hickory.

East On a Random line between Sec 3 & 10 T. A. H. R. 177

40.00 Set a timber 7/8 support

80.00 To a Bero 10 links in diam, Common R.

80.00 Intersect the N 15 line South of the post co of sec 2. 3. 10 & 11 Land the same.

West On the true line between Sec 3 & 10 T. A. H. R. 177

40.00 Set the timber 7/8 support at the ar. dist in the true line from which, W Oak 20 in diam bears N 42 E 9 links dist

under a Gum 9 " " S 57 W 22 " "

80.00 To the post co of sec 3. 4. 9 & 10.

North Return Sec 3 & 4 T. A. H. R. 177.

40.00 Set a 7/8 support from which,

W Oak 20 in diam bears South 100 links dist

40.00 To a W Oak 30 in diam stands in the line.

49.00 Intersect the N 13 W line 22 links West of the post co of sec 3. 3 & 34. T. A. H. R. 177 and set a post for the cor. " " 3 & 11 from which,

Malt-vary 12 in diam bears S 86 W 20 links dist, &c.

Dogwood 6 " " N 52 E 11 " "

Land the same.

T. A. H. R. No 177 Dna Mrs. Ind.

North Return Sec 3 & 33 T. A. H. R. 177.

40.00 Set a 7/8 support from which,

Gum 10 in diam bears S 57 W 10 links dist, &c.

W Oak 18 " " S 81 E 25 " "

80.00 Set a post for the cor. of sec 28. 29. 32 & 33 from which,

Hickory 20 in diam bears N 55 E 3 links dist, &c.

Do. 20 " " S 55 W 15 " "

Land very bushy & covered with Iron trees
Timber Oak.

East On a Random line between Sec 28 & 33 T. A. H. R. 177

40.00 Set a timber 7/8 support

80.00 Intersect the N 15 line 8 links South of the post co of sec 27. 28. 33 & 34 Land the same.

West Return Sec 28 & 33 T. A. H. R. 177 True line

40.00 Set the timber 7/8 support at the ar. dist in the true line from which, Dogwood 6 in diam bears S 27 W 38 links dist

under a Do. 6 " " S 58 E 12 " "

80.00 To the post co of sec 28. 29. 32 & 33.

North Return Sec 28 & 29 T. A. H. R. 177.

39.80 To a W Oak 12 in diam in the line

40.00 Set a 7/8 support from which,

Dogwood 7 in diam bears S 33 E 12 links dist, &c.

W Oak 12 " " S 76 W 14 " "

80.00 Set a post for the cor. of sec 20. 21. 28 & 29 from which,

W Walnut 7 in diam bears S 78 E 29 links dist, &c.

Sugar 7 1/4 " " N 24 E 10 " "

Land the same

East On a Random line between Sec 21 & 28 T. A. H. R. 177

40.00 Set a timber 7/8 support

T. N. 4. S. R. N. 177 Quad. Min. Ind.

80.19 Intersect the N 13 line 12 miles South of the post on
of sec 21. 22. 23. 24. Same

West On the line line between Sec 21 & 22 T. 4. N. R. 177.
4000 Let the timber to be put on the line at the ar dist
from which Sugar 10 in dist. line. N 34 E. 18 miles dist.
and sec 22 Walnut 7 1/2 " " N 63 W. 7 1/2 "

80.19 To the cor of sec 20. 21. 28 & 29.

North Between Sec 20 & 21 T. 4. N. R. 177.
4000 Let a 1/2 a post from which
13 Oct. 18 in dist. line N 22 E. 12 miles dist. 8 1/2
Logwood Co " " N 42 W. 28 "

80.00 Let a post for the cor of sec 16. 17. 20 & 21 from which
23 Walnut 10 in dist. line N 38 W. 29 the dist. to
N Oct. 18 " " " S 32 E. 19 " "
Same do the same.

East On a line line between Sec 16 & 21 T. 4. N. R. 177.
4000 Let a timber to be put
80.15 Intersect the N 13 line 20 miles South of the post on
of sec 15. 16. 21 & 22. Same do the same.

West On the line line between Sec 16 & 21 T. 4. N. R. 177.
4000 Let the timber to be put at the ar dist on the line
from which Logwood 7 in dist. line N 87 W. 33 the dist
and sec 20 " " " N 3 E. 19 " "
80.15 To the post cor of sec 16. 17. 20 & 21.

North Between Sec 16 & 17 T. 4. N. R. 177.
35.51 Let a post 20 in dist. line on the line.
4000 Let a 1/2 a post from which
Logwood 7 in dist. line N 87 E. 16 miles dist. to

T. N. 4. S. R. N. 177 Quad. Min. Ind.

Logwood 7 in dist. line N 55 W. 24 miles dist.
80.00 Let a post for the cor of sec 8. 9. 16. 17 from which
N Oct. 18 in dist. line N 68 E. 24 miles dist. to
Sugar 10 " " " N 59 W. 38 " "

East On a line line between Sec 9 & 16 T. 4. N. R. 177.
4000 Let a timber to be put
79.90 Intersect the N 13 line 12 miles South of the post on
of sec 9. 10. 15 & 16. Same do the same.

West On the line line between Sec 9 & 16 T. 4. N. R. 177.
39.95 Let the timber to be put at the ar dist on the line
from which Poplar 19 in dist. line N 40 W. 19 the dist
and sec 20 " " " N 46 W. 15 " "
79.90 To the cor of sec 8. 9. 16 & 17.

North Between Sec 8 & 9 T. 4. N. R. 177.
19.20 To a Poplar 30 in dist.
4000 Let a 1/2 a post from which
N Oct. 20 in dist. line N 63 W. 17 the dist. to
Logwood 7 " " " N 42 E. 12 " "
80.00 Let a post for the cor of sec 4. 5. 8 & 9 from which
Sugar 10 in dist. line N 45 E. 17 the dist. to
N Oct. 18 " " " N 45 W. 14 " "
Same do the same.

East On a line line between Sec 4 & 9 T. 4. N. R. 177.
4000 Let a timber to be put
80.00 Intersect the N 13 line 8 miles South of the post on
of sec 3. 4. 9 & 10.
Same do the same.

West On the line line between Sec 4 & 9 T. 4. N. R. 177.

S. No 4. N.R. No 172nd Mer. Ind.

40.00 Set the temp. post at the ar. dist. on the line from
which, Dogmets 6 in dia. beam N 89 E 34 the dist.
to the post on of 29.30.31 4.32.
50.00 Set the post on of 29.30.31 4.32.

North Return Dec 4 13 I. H. N. 17.
34.40 To a post 12 in dia. beam in the line.
40.00 Set a post from which,
Oak 20 in dia. beam N 45 E 18 the dist. to,
Oak 10 " " S 23 W 30 " "
60.80 To a post 30 in dia. in the line.
78.90 Intersect the N. B. road 7 links West of the post on
of 29.32.33 I. H. N. 17 and set a post for the ar.
" " 45 from which,
Oak 10 in dia. beam S 59 E 25 the dist. to,
Oak 20 " " S 40 W 31 " "

North Return Dec 31 13 I. H. N. 17.
40.00 Set a post from which,
Mullery 12 in dia. beam N 28 E 16 links dist. to,
Sugar 10 " " S 89 E 23 " "
80.00 Set a post for the ar. of 29.30.31 4.32 from which,
Oak 20 in dia. beam N 78 W 18 links dist. to,
Oak 8 " " S 52 E 10 " "
Land rolling and bushy Timber Oak & Hickory

East Ogakandam line between Dec 29 13 I. H. N. 17.
40.00 Set a temp. post.
80.00 Intersect the N. B. line 12 links North of the post on
of 28.29.32 13. Land the same.

West On the line between Dec 29 13 I. H. N. 17.
40.00 Set the temp. post on the line at the ar. dist.

S. No 4. N.R. No 172nd Mer. Ind.

from which, Hickory 6 in dia. beam N 45 E 18 the dist.
50.00 Set the post on of 29.30.31 4.32.

North Return Dec 29 13 I. H. N. 17.
40.00 Set a post from which,
Oak 20 in dia. beam N 90 E 10 the dist. to,
Oak 10 " " East 13 " "
80.00 Set a post for the ar. of 29.30.31 4.32 from which,
Oak 10 in dia. beam N 45 E 18 the dist. to,
Oak 10 " " S 45 W 17 " "
Land hilly Timber Oak & Hickory. My dog was with

West Return Dec 31 13 I. H. N. 17.
40.00 Set a post from which,
Oak 10 in dia. beam N 77 E 25 links dist. to,
Oak 10 " " S 76 W 34 " "
Intersect the West B. road 20 links North of the post on
of 25 136. I. H. N. 17 and set a post for the ar.
" " 30 24 from which,
Oak 20 in dia. beam N 58 W 4 links dist. to,
Oak 10 " " S 40 E 4 " "
Land rolling Timber Oak, Hickory & Birch

East Ogakandam line between Dec 29 13 I. H. N. 17.
40.00 Set a temp. post.
80.14 Intersect the N. B. line 12 links North of the post on
of 28.29.32 13. Land the same.

West On the line between Dec 29 13 I. H. N. 17.
40.00 Set the temp. post on the line at the ar. dist.
from which, Oak 12 in dia. beam N 87 W 11 the dist.
and Oak 10 " " N 13 E 25 " "
80.14 Set the post on of 29.30.31 4.32.

S. A. 4. N. R. A. 177 2nd Mm. Sud.

upstream on the Right Bank.

S49 E. 3.00

S51 E. 12.50

S28 E. 11.50

S31 E. 6.00

S35 E. 13.50

S28 E. 16.00

S21 E. 8.00

S39 E. 4.50

S32 E. 7.50 To the line between Sec 6 & 7. T. 4. N. R. 177.

S61 E. 16.00

S73 E. 8.00

S82 E. 16.00

East 4.05 To the line between Sec 7 & 8. T. 4. N. R. 177.

A53 E. 13.00

A60 E. 9.50

A54 E. 8.67 To the line between Sec 5 & 8. T. 4. N. R. 177.

A37 E. 10.00

A21 E. 10.50

A11 E. 13.00

A18 E. 17.00

A16 E. 6.00

A11 E. 19.50

A11 W. 8.32 To the post in the North Boundary of Sec. 5 T. 4. N. R. 177.

*From post in the N. Boundary of Sec 3. T. 4. N. R. 177
thru up stream on Right Bank.*

S26 E. 8.00

S32 E. 15.50

S. A. 4. N. R. A. 177 2nd Mm. Sud.

S48 E. 9.50

In Sec. 3.

S76 E. 6.50

S79 E. 9.00

A70 E. 7.00

A79 E. 3.60 To the line between Sec 2 & 3. T. 4. N. R. 177.

A72 E. 7.50

A80 E. 6.50

A77 E. 11.00

A83 E. 10.50

S89 E. 4.00

In Sec. 2.

S80 E. 6.00

S72 E. 9.50

S47 E. 6.00

S29 E. 6.00

S22 E. 11.50 To a Buck 25 lbs. and

S22 E. 11.50

S29 E. 18.90 To the line between Sec 1 & 2. T. 4. N. R. 177.

S40 E. 10.00

S51 E. 14.50

S60 E. 10.00

S70 E. 12.50

S76 E. 14.50

In Sec. 12.

A53 E. 7.50

A30 E. 9.00

A27 E. 10.00

A33 E. 14.00

A42 E. 8.70 To the post in the East Boundary of T. 4. N. R. 177.

*Meanders of the Left Bank of the East Fork
of White River. Commencing at the Lye near the
Range line between Ranges 1 & 2 W. 11. 13. 14. 15. 16.*

T. A. R. No. 177 2nd Mer. Ind.

	From upstream	
130 E.	23.50	
136 E.	19.00	In Lu. 6.
124 E.	20.00	To the line between Sec 6 & 7 T. 4 N. R. 1 W.
156 E.	27.00	
169 E.	17.20	In Lu. 7.
189 E.	11.20	To the line between Sec 7 & 8 T. 4 N. R. 1 W.
189 E.	12.00	
158 E.	14.30	In Lu. 8.
144 E.	17.00	To the line between Sec 8 & 9 T. 4 N. R. 1 W.
124 E.	22.30	
144 E.	45.30	In Lu. 5.
110 W.	13.50	To the post in the N. Boundary of Lu. 5 T. 4 N. R. 1 W.
	From the Post in the North Boundary of Lu. 3.	
	T. 4 N. R. 1 W. Thence	
134 E.	36.00	In Lu. 3 To a Brook. 25th mile.
167 E.	16.00	
178 E.	18.50	To the line between Sec 2 & 3 T. 4 N. R. 1 W.
181 E.	14.50	
123 E.	51.00	
135 E.	16.50	To the line between Sec 12 & 13
	The intersection of the line between Sec 2 & 11	
	Omitted	
156 E.	27.50	
175 E.	33.50	In Lu. 12 T. 4 N. R. 1 W.
147 E.	17.00	
123 E.	22.00	

T. 4 N. R. No. 177 2nd Mer. Ind.145 E. 5.20 To the cor on the 2nd Principal Meridian

Surveyed by
Arthur Henric.
Deputy Sur.

Correct,

I certify that the foregoing Transcript of the field notes of Township T. 4 North of Range No. 1 West of the 2nd Principal Meridian, Indiana, has been compared with the Original notes in this Office and found to be correct.

Surveyor General's Office,
Cincinnati Oct. 13 1841

Sur. General.